

Home | Login | Logout | Access Information | Alt

Welcome United States Patent and Trademark Office

☐ Search Session History

BROWSE SEARCH IEEE XPLORE GUIDE

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- · Run a search

Search Query Display						

Recent Search Queries

Mon, 21 Aug 2006, 2:16:27 AM EST

- (((program or data or transaction) <sentence> (map or plan or list or layout or blueprint) <sentence> (maintain or keep or update or preserve or sustain)) <in>metadata)
- #2 (((program or data or transaction) <near/3> (map or plan or list or layout or blueprint) <sentence> (maintain or keep or update or preserve or sustain) <sentence> (transmit or transfer or send) <near/3> (storage or disk or disc)) <in>metadata)
- #3

 ((((program or data or transaction) <near/3> (map or plan or list or layout or blueprint) <sentence> (maintain or keep or update or preserve or sustain) <sentence> (transmit or transfer or send) <near/3> (storage or disk or disc)) <in>metadata)

ndexed by Inspec®

Help Contact Us Privac

© Copyright 2006 IE

___ PALM INTRANET

Day: Monday Date: 8/21/2006

Time: 02:07:16

Inventor Information for 10/053205

Inventor Name		City	State/Country	State/Country		
BRITT, JOE FREEMAN	JR.	LOS GATOS CALIFORN		VIA		
Appln Info Contents	Petition Info	Atty/Agent Info	Continuity/Reexam	Foreign I		
Search Another: Appl PCT /	/	· · · · · · · · · · · · · · · · · · ·	PUBS#	earch Search		
Attorn	ey Docket #		Search			
Bar Co	de#	Search				

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

Interference EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	368	(((program or data or transaction) near3 (map or plan or list or layout or blueprint) near3 (stor\$3 or disk or disc)) with (transmit\$4 or transfer\$3 or send\$3)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 01:57
L2	15	(((maintain\$3 or keep\$3 or updat\$3 or preserv\$3 or sustain\$3) near3 (program or data or transaction) near3 (map or plan or list or layout or blueprint) near3 (stor\$3 or disk or disc)) with (transmit\$4 or transfer\$3 or send\$3)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 02:01
L3	173	(((maintain\$3 or keep\$3 or updat\$3 or preserv\$3 or sustain\$3) same (program or data or transaction) same (map or plan or list or layout or blueprint)) with (stor\$3 or disk or disc) with (transmit\$4 or transfer\$3 or send\$3)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 02:03
L4	150	(((maintain\$3 or keep\$3 or updat\$3) near3 (map or plan or list or layout or blueprint)) with (stor\$3 or disk or disc) with (transmit\$4 or transfer\$3 or send\$3)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 02:04

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	26294	((program or data or transaction) near3 (map or plan or list or layout or blueprint)) same (transmit\$4 or transfer\$3 or send\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 01:23
L2	4736	((program or data or transaction) near3 (map or plan or list or layout or blueprint) near3 (stor\$3 or disk or disc)) same (transmit\$4 or transfer\$3 or send\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 01:36
L3	202	"711"/\$.ccls. and ((program or data or transaction) near3 (map or plan or list or layout or blueprint) near3 (stor\$3 or disk or disc)) same (transmit\$4 or transfer\$3 or send\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 01:46
L4	23	"711"/170.ccls. and ((program or data or transaction) near3 (map or plan or list or layout or blueprint) near3 (stor\$3 or disk or disc)) same (transmit\$4 or transfer\$3 or send\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 01:39
L5	0	("2003/0093643").URPN.	USPAT	OR	ON	2006/08/21 01:43
L6	79	"711"/\$.ccls. and ((program or data or transaction) near3 (map or plan or list or layout or blueprint) near3 (stor\$3 or disk or disc)) with (transmit\$4 or transfer\$3 or send\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 01:49
S1	2699	((program or data or transaction) near3 (map or plan or list or layout or blueprint)) same (patch or update or repair)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 01:21
S2	166	(((program or data or transaction) near3 (map or plan or list or layout or blueprint)) same (patch or update or repair)) and "711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 12:55
S3	786	711/161-162.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 12:55

EAST Search History

S4	7187	(change or delta or difference) near5 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 13:09
S5	61	711/161-162.ccls. and ((change or delta or difference) near5 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 13:09
S6	1448467	delta or difference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 13:09
S7	165	711/161-162.ccls. and (delta or difference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 13:09
S8	1	packet with hearder same store	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/30 12:20
S9	21701	packet with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/30 12:21
S10	1429	(packet with header) same store	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/30 12:21
S11	548	(packet with header) with store	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/06 12:12
S12	0	packet with (header near3 store) same (non-volatile or nonvolatile or (non adj volatile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/30 12:22
S13	0	packet same((header near3 store) same (non-volatile or nonvolatile or (non adj volatile)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/30 12:23

EAST Search History

S14	173	packet with (header near3 store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/06 12:12
S15	6955	"717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/06 12:12
S16	0	packet with (header near3 store) and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/06 12:12
S17	0	(packet with header) with store and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/06 12:12
S18	27	"717"/\$.ccls. and (header with (stor\$3 near3 (memory or disk or disc)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/06 12:13
S19	2	("6516342").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 07:58
S20	2	("5703937").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 07:58
S21	2	("6549980").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/27 22:17